



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

NOVEMBER 25.

The President, Dr. RUSCHENBERGER, in the chair.

Twenty-nine members present.

The following paper was presented for publication:—

“Description of seven new species of Unionidæ of the United States.” By Isaac Lea.


The Committees to which were referred the following papers: “On the Homologies and Origin of the types of Molar Teeth in Mammalia Educabilia,” by Edward D. Cope, and “Contributions to the Ichthyology of Alaska,” by Edward D. Cope, reported in favor of their publication in the Journal.

The death of Frank Guckert, Correspondent of the Academy, was announced.

Disposition of the Flexor perforans, Flexor longus hallucis, and Flexor accessorius in Paradoxurus musanga Gray.—Dr. H. C. CHAPMAN made the following remarks:—

I have pleasure in calling the attention of the members of the Academy to the arrangement of the Flexor longus hallucis and Flexor accessorius in the Musanga. For the opportunity of dissecting the animal I am indebted to the Directors of the Zoological Garden. Usually in pentadactyle animals there is found a muscle, the Flexor longus hallucis, which, rising from the fibula, passes down to the sole of the foot, and after giving a slip to the Flexor perforans is inserted into the hallux. In man and some other animals, there also exists a muscle, the Flexor accessorius, which, rising from the calcaneum, is inserted into the conjoined tendon of the Flexor perforans and Flexor longus hallucis. The names of these muscles indicate their function. In the Musanga, however, the muscle *B*, which is homologous with the Flexor longus hallucis of man, etc., simply fuses with the tendon of the Flexor perforans, *A*, while the Flexor accessorius, *C*, after giving off muscular slips to

the Flexor brevis digitorum, terminates in a tendon which is inserted into the hallux. The Flexor accessorius acts, therefore,



the part of the Flexor longus hallucis, while the latter muscle is functionally only a part of the Flexor perforans. The Flexor accessorius also draws the hallux towards the foot. The F. accessorius, *C*, in the figure is slightly drawn up.

Dr. T. R. Wolf was elected a member, and Prof. S. E. Planchon, of Montpellier, France, was elected a correspondent.

On report of the Committee, the following paper was ordered to be published.